





SPILL REPORT FORM

COURTICE POWER PARTNERS BARTON-MALOW CAMADA - KENAIDAN CONTRACTING LTD.

Í

Project Information	
Job Name Site Sup	ervisor
Ducham Vork Energy Centre Rol Date of Occurrence Contract	or Responsible for Spill
June 24/13 2	omax
Material Spilled Approx. Quantity Location	
Itydraulic Oil 2 Gallons Wess	of Pumphouse.
Description of Incident	
Hydraulic line Broke causeing all spill	11. quickly contained area and chaned
up.	
Root Cause Analysis	
Hydraulic Hose Broke, due to wear and	tear.
Method of Containment (describe clean up measures used to contain the spill)	
Spill kit. belonging to Lomax	
excavation, 8 yards of soil vere removed	
MSDS Available: Yes D No	NOTE - Please contact the Shop for refills of Spill Kit contents
Environmental Impact Nane Sail Compared Sa	am site by Millian waste Management
Health & Safety Impact Nane	
Property Damage Yes No	If Yes Describe:
Items inSpill Kit Used? Yes Ø No	~
Cost Implications Personnel (list all site personnel involved in the containment and clean up of the spill)	Clean Up Details (include a list of spill kit and or other contents used)
	removed all contaminated soll from
Name Mark Harris	site using a bin from Millour woste
Name Keven	manogenet absorbat pade, pilloros
	asserbas photo, practices
Name Same	Method of Disposal (describe disposal methods of contents used)
Name Marcal	Miller Woste Monages-A, excavated
	LOWING CONT
Name Comments and Recommendations	
Report Prepared By: Murk Harris / Jan	ice Campbell Date: June 24/13
	NUC THE THE THE CONTRACT

					· •			Pa
ation & Type of Incident		b Location (Please include add		oily and province)				
11-588	17	outice ()	\mathcal{N}	city and province)				all ^{an} (Annald & Samuel Faile (1
ject Supervisor	Fo	preman/Lead Hand		C	ate of Occurrence		Time of Occurren	
2552 House		Haul Brich			Sure 28	13	2:20	لم لار
was incident reported to? (Please	Total and the second se	1 10 1		E	Date Incident Report	ed	Time Reported	
of Incident (Please check all applica	able)	and without	-ipoua		Jue Zes	μs —	2:25	Z
Fire/Explosio	on (5, 6, 7) 🔲	Equipmo	ent Damage (2, 5, 6, 7)	y a 0	ther Property Dama	age (4, 5, 6) 🛛	Violence/Harassi	ment
Near N	Viss (6, 7)	1	Utility Damage (3, 5, 6)	'n	Theft/Vanda	lism (4, 5, 6) 🛛	(not resulting in pers	ional in
Other (5, 6)	If Other, please speci The numbers lister	fy I following each type of accider	t correspond to the section	ons of the form that m	ist he completed in a	ach casa		
ironmental Incident (Please check i								
Erosion and Sedimentation Incid			hission/Complaint (6, 7)			-	o heritage item (6, 7	
Workplace Harassment			ater discharge (5, 6, 7)				emoval or harm (6, 1	7) [
er 🖬 please specify 651	SONCO	: For Spills including fuel,		KODOR)	To Spin report Po	111		
	The numbers listed	following each type of accider	nt, correspond to the section	ons of the form that m	ust be completed in e	ach case		
on # 2 - Equipment Damag	e (If completing this sect	tion a copy of this form must be	e forwarded to Equipment	Manager)				
ator's Name			Operator's Licen	se/Certificate # (if app	licable)	Estimated cost of	f damage	
Varcel Gagne	36~					8		
ribe damage to equipment/tool	<u>,</u>					and the particular states a state prior to be an enter of a first state of		
damage to 1	vold on	cadiator a	of the A	C tran	storme	<u></u>		
<i>a</i> ,			9		_			
00 Marstone	LOOT KINA	m hohall	& Lexsa	a Elast	int.			
$\Gamma \sim \rho \sim \sim \sim$	<u>~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~</u>	Jan dentes	- J Lecou	IC EIECAI	100m			
on # 3 - Utility Damage (If co	ompleting this section a c	opy of this form must be forwa	rded to Health & Safety M	anager V P. of Field Or	erations & V.P. of Co	intracts)		
of Utility Damaged		Were utility locates						
of Durky Danlaged	**********			If yes, please comple Name of Courtice Po	ower Partners empl	oyee who	Date Locate Comp	leted
		Yes 🖸	No 🔲	attended the locate:				
ate Number	Man the evention his 14	the commence lifter place						
	Was the applicable UI Notified of damage?		ase complete the following otification	g: Time Arrived	Duration	of Repair		
			otification	1		of Repair		
	Notified of damage? Yes	No	otification AM PM	Time Arrived	Duration	of Repair	· · · · · · · · · · · · · · · · · · ·	2011/2010
ion #4 - Miscellaneous Dan	Yes Mage (if completing the	No	otification AM PM Ist be forwarded to the Co	Time Arrived		of Repair		
ion #4 - Miscellaneous Dan se provide a list or description of	Yes Mage (if completing the	No	otification AM PM Ist be forwarded to the Co	Time Arrived		of Repair		
ion # 4 - Miscellaneous Dan se provide a list or description of	Yes Mage (if completing the	No	otification AM PM Ist be forwarded to the Co	Time Arrived		of Repair		
ion #4 - Miscellaneous Dan se provide a list or description of	Yes 113ge (if completing the materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		of Repair		
ion #4 - Miscellaneous Dan ise provide a list or description of	Yes 113ge (if completing the materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		ı of Repair		
on # 4 - Miscellaneous Dan se provide a list or description of	Yes 113ge (if completing the materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		l of Repair		
on #4 - Miscellaneous Dan se provide a list or description of	Yes 113ge (if completing the materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		of Repair		
on #4 - Miscellaneous Dan	Yes 113ge (if completing the materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		ı of Repair		
on #4 - Miscellaneous Dan se provide a list or description of ACC Transb	Notified of damage? Yes MBGP (if completing this materials property that	No	otification AM PM Ist be forwarded to the Co	Time Arrived		L of Repair		
on #4 - Miscellaneous Dan se provide a list or description of ACC Transbor On #5 - Emergency Service	Notified of damage? Yes 118ge (if completing this materials property that CS	No Time of Monostration a copy of this form mu	otification AM PM Ist be forwarded to the Co	Time Arrived		L of Repair		
on #4 - Miscellaneous Dan se provide a list or description of ACC Transbor On #5 - Emergency Service	Notified of damage? Yes Mage (it completing this materials property that Mage (it completing this materials property that es	No Time of Monostration a copy of this form mu	otification AM PM Ist be forwarded to the Co	Time Arrived		Police	Fire	MO
on # 4 - Miscellaneous Dan se provide a list or description of ACC Transform on # 5 - Emergency Service e Emergency Services Contacted?	Notified of damage? Yes 11age (if completing this materials property that	No Time of Monostration a copy of this form mu	otification	Time Arrived			Fire	МО
on #4 - Miscellaneous Dan se provide a list or description of ACC Transform on #5 - Emergency Service e Emergency Services Contacted? rt Completed By (Name/Title/Badge	Notified of damage? Yes 118ge (if completing this materials property that	No Time of Mo	entify which services wer	Time Arrived ntroller) e dispatched to site		Police	Fire	MO
on #4 - Miscellaneous Dan se provide a list or description of ACC Transform on #5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. ()	Notified of damage? Yes 11 11 11 11 11 11 11 11 11 12 <td< td=""><td>Time of No No Section a copy of this form mu was damaged/stolen/vandal Image: section a copy of this form mu <t< td=""><td>entify which services wer</td><td>Time Arrived ntroller) e dispatched to site</td><td>MOE X</td><td>Police</td><td>Fire</td><td>MO</td></t<></td></td<>	Time of No No Section a copy of this form mu was damaged/stolen/vandal Image: section a copy of this form mu Image: section a copy of this form mu <t< td=""><td>entify which services wer</td><td>Time Arrived ntroller) e dispatched to site</td><td>MOE X</td><td>Police</td><td>Fire</td><td>MO</td></t<>	entify which services wer	Time Arrived ntroller) e dispatched to site	MOE X	Police	Fire	MO
on # 4 - Miscellaneous Dan se provide a list or description of ACC Transform on # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on # 6 - Description of Incir	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form multiple section a copy of this form multiple section (vandal section) was damaged/stolen/vandal If Yes, please id Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site Report No.	MOE X	Police	Fire	MO
on # 4 - Miscellaneous Dan se provide a list or description of ACC Transform on # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on # 6 - Description of Incir	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form multiple section a copy of this form multiple section (vandal section) was damaged/stolen/vandal If Yes, please id Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site Report No.	MOE X	Police	Fire	MO
ion # 4 - Miscellaneous Dan se provide a list or description of <u>ACCTAASS</u> ion # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge tact No. () ion # 6 - Description of Inci	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form multiple section a copy of this form multiple section (vandal section) was damaged/stolen/vandal If Yes, please id Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site Report No.	MOE MOE	Police	Fire	MO
ion # 4 - Miscellaneous Dan se provide a list or description of ACC Transform ion # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge iact No. () ion # 6 - Description of Incil se give a detailed description of the	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form mutant is was damaged/stolen/vandat was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant	entify which services wer	Time Arrived Introller) e dispatched to site Report No. guestions, what, where	MOE MOE	Police	Fire Deiry	Mo
on # 4 - Miscellaneous Dan se provide a list or description of ACC Transform on # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on # 6 - Description of Incil se give a detailed description of the	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form mutant is was damaged/stolen/vandat was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant	entify which services wer	Time Arrived Introller) e dispatched to site Report No. guestions, what, where	MOE MOE	Police	Fire Derry	MO
on # 4 - Miscellaneous Dan se provide a list or description of ACC Transform on # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on # 6 - Description of Incil se give a detailed description of the	Notified of damage? Yes mage: materials property that materials property that res yes Yes No Yes e No.)	No Time of No No Image: Section a copy of this form mutant is was damaged/stolen/vandat was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant	entify which services wer	Time Arrived Introller) e dispatched to site guestions, what, where the trans South and the trans	MOE MOE	Police	re beig ver 11, C ing und	MO
ion # 4 - Miscellaneous Dan ise provide a list or description of <u>ACC</u> TRANSS <u>ion # 5 - Emergency Service</u> re Emergency Services Contacted? ort Completed By (Name/Title/Badge tact No. () ion # 6 - Description of Incli Se give a detailed description of the <u>ACC</u> Transformer <u>ion # 6 - Description of Incli</u> <u>ion # 6 - Description of Incli</u>	Notified of damage? Yes materials property that ess ess the state materials property that dent dent <td>No Time of No Section a copy of this form multiple swas damaged/stolen/vandal Was damaged/stolen/vandal If Yes, please id Name of MOL Inspector Inspector If Yes, please id Name of MOL Inspector If Yes, please id Name of MOL Inspector If Yes, please id If Yes, please id Name of MOL Inspector If Yes, please id If Yes, please id If Yes, please id If Yes, please id If Yes, please id</td> <td>entify which services wer</td> <td>Time Arrived Introller) e dispatched to site Report No. guestions, what, where the fram Source and the second</td> <td>MOE MOE</td> <td>Police</td> <td>re beirg ver 11,0 zing und re wer</td> <td>MO</td>	No Time of No Section a copy of this form multiple swas damaged/stolen/vandal Was damaged/stolen/vandal If Yes, please id Name of MOL Inspector Inspector If Yes, please id Name of MOL Inspector If Yes, please id Name of MOL Inspector If Yes, please id If Yes, please id Name of MOL Inspector If Yes, please id	entify which services wer	Time Arrived Introller) e dispatched to site Report No. guestions, what, where the fram Source and the second	MOE MOE	Police	re beirg ver 11,0 zing und re wer	MO
ion # 4 - Miscellaneous Dan se provide a list or description of ACC Transform ion # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge iact No. () ion # 6 - Description of Incil se give a detailed description of the	Notified of damage? Yes materials property that materials property that materials property that res yes Yes e No.)	No Time of No No Image: Section a copy of this form mutant is was damaged/stolen/vandat was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant is was damaged/stolen/vandat Image: Section a copy of this form mutant	entify which services wer	Time Arrived Introller) e dispatched to site guestions, what, where the trans South and the trans	MOE MOE	Police	re beig ver 11, C ing und	Mo 2022 Less Less
on # 4 - Miscellaneous Dan se provide a list or description of ACC TRANSS On # 5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () On # 6 - Description of Incli Se give a detailed description of the ACC TRANS Content of the ACC TRANSCOMENTS	Notified of damage? Yes materials property that ess ess dent dent materials property that dent	No □ section a copy of this form mu was damaged/stolen/vandal was damaged/stolen/vandal f f Yes, please id Name of MOL Inspector e a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site guestions, what, where the trans South and the trans	MOE MOE	Police Police () (_) (re beig ver 11, C rig und re war you to As the	мо 2000 2000 2000 2000 2000 2000 2000 20
on #4 - Miscellaneous Dan se provide a list or description of ACC TRANS B on #5 - Emergency Service on #5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on #6 - Description of Incli Se give a detailed description of the ACC Second	Notified of damage? Yes materials property that ess ess dent dent materials property that dent	No □ section a copy of this form mu was damaged/stolen/vandal was damaged/stolen/vandal f f Yes, please id Name of MOL Inspector e a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site guestions, what, where the trans South and the trans	MOE MOE	Police	re beig ver 11, C rig und re war you to As the	MO ROCK
on #4 - Miscellaneous Dan se provide a list or description of ACC TRANS B on #5 - Emergency Service on #5 - Emergency Service re Emergency Services Contacted? ort Completed By (Name/Title/Badge act No. () on #6 - Description of Incli Se give a detailed description of the ACC Second	Notified of damage? Yes □ Nage (if completing this materials property that materials property that Participation of the Participation of the Parti	No □ section a copy of this form mu was damaged/stolen/vandal was damaged/stolen/vandal f f Yes, please id Name of MOL Inspector e a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector is a diagram in space provide Sift at it Name of MOL Inspector	entify which services wer	Time Arrived Introller) e dispatched to site guestions, what, where the trans South and the trans	MOE MOE	Police Police () (_) (re beig ver 11, C rig und re war you to As the	200 en 1-

ş

F	'n	α	e	2	ot	2

Incident Diagram (please provide estimated distances, where applicable) See attached Phatos

Please list the names of all those involved in inc	rident			
Name	Juen		Employer	Telephone Number
Paul Birth	*****	FFR 11 11 1 1 1 1 1 1 1 1 1 1 1 1	Lexson Electrical	
Name			Employer	Telephone Number
		<u></u>		()
Name			Employer	Telephone Number
				()
Please list any witnesses to incident				
Name			Employer	Telephone Number
				()
Name			Employer	Telephone Number
				()
Name			Employer	Telephone Number
				()
	Please use	e the Witness Staten	nent Form to record witnesses statements regarding the injury	
Section # 7 - Root Cause Analysis				
ased on the preliminary investigation conducted, facilitate completion of your analysis.	please check off all co	ntributing factors to I	the occurrence and provide an explanation for each factor. NOTE -	Each factor includes examples of possible contributors
Contributing Factor	YES	NO	Possible Contributors	
People	P		Lack of training, instruction or knowledge of a particular too operator unfamiliarity/error • misconduct • result of another violence/harrassment	
Explanation				
the planning due to	the last	- minute	arrival jarrived on a rain	y Friday affurreron
of a long weake	<u>~Q-</u>	·····		
Equipment			Inadequate guards/barriers • damage or defective equipments afe guards removed or made ineffective • no inspection or	
Explanation			· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·


Materials			Wrong type of material in use • improper handling/storage/shipment of materials • improperly labelled • damaged material
Explanation		1	
Environment	R R		Surface conditions (slippery/wet/unstable) • overcrowded work area • poor air quality (lack of ventilation) • poor lighting • extreme temperatures • noise • poor housekeeping • dust
Explanation Rath had been heavy	y at times	Caustry	poor visibility.
Process			Lack of procedure/process • improper flow in process • unforeseen hazard created by current process in use • non-conformance to procedural requirements • Incomplete Job Safety Analysis*


*(attach copy of JSA completed to the report)
Explanation
What measures have been/are going to be implemented to prevent a reoccurrence?
Take time to plan task thoroughly no matter the timelines.
Take the to plan the thought the matter the matters.
Work Refusal
As a result of the incident has a worker(s) refused to return to the work area and/or pre-incident job duties? Yes Vo
If yes, please report this occurrence as required by procedure C5.2.20 Work Refusal. A copy of this incident report should be forwarded along with the notification.
Name of access completing insident second
Name of person completing incident report

 Janice Campbel
 July 3/15

 Please note that all documents/statements/reports pertaining to the incident must be attached to this report when siled. All incident reports must be submitted to the HR Department.







www.wesco.ca

1-866-WESCOCA (937-2622)

SPILL REPORT FORM

COURTICE POWER PARTNERS BARTON-MALOW CANADA + KENAIDAN CONTRACTING LTD.

£ 1

Project Information	
Job Name Site S	Supervisor
Durham York Energy Centre 3	esse House
	ractor Responsible for Spill
June ZB/13 Ke	naidon Contracting / Lexson Electrical
	tion of Spill
Mineral Oil & Igallon Ir	side Parking Lot
Description of Incident	
See murdent report attached.	
Root Cause Analysis	
Method of Containment (describe clean up measures used to contain the spill)	
Absorbant pado, Socks were used to the atchibers in and rear the equipment	contain the oil. Berms were built aroun
	e all contaminated soil, water and excessoi
MSDS Available: Yes No	NOTE - Please contact the Shop for refills of Spill Kit contents
Environmental Impact	
Health & Safety impact	
Property Damage Yes X No	If Yes Describe: 500 attached Incident Report
Items inSpill Kit Used? Yes 🖉 No 🛛	1
Cost Implications	
Personnel (list all site personnel involved in the containment and clean up of the spill)	Clean Up Details (include a list of spill kit and or other contents used)
Name Marcel Gagnon	absorbant pads, pillows, socks
Name Srott Brazeau	
Name No the DIUTRAU	
Name	Method of Disposal (describe disposal methods of contents used)
	A vac fruck was brought in to remove all contaminated solls, pack, pillows, socks, etc.
Name	all contaminated solls, pads, pillows,
Name	socks, etc.
Comments and Recommendations	
MOL Reference - 2340-994428	
	()
Report Prepared By: Janico Campbell	Date: July 3/13



SAFETY DATA SHEET

Health, Environment & Safety Data sheet

1. Identification of the Substance/Preparation and the Company/Undertaking

Product Name:	Nytro 10GBN
Application:	Insulating Oil, naphthenic

 Supplier:
 Nynas USA, Inc

 1800 W Loop Soouth
 Suite 11150

 Houston TX 77027-3291
 Texas , USA

 Telephone No.:
 +1-713 586 3838

 Fax:
 +1-713 586 3835

 Technical Contact:
 +46-8-520 65 000

2. Composition/Information of Ingredients

	Chemical Name:	Hydrotreated Light Naphthenic Distillate
	CAS No.:	64742-53-6 100%
Rule	OSHA: 29,	This product is covered by the OSHA Hazard Communication
	DMSO exractables:	CFR 1910.1200. < 3%

3. Hazards identification

Physical and Chemical The hazardous properties of this product are considered to be limited.

Hazards:

Issuing date: 2003-06-26

Human Health: irritation acne.	Prolonged or repeated skin contact may cause redness, itching, and oil
Inhalation:	Inhalation of vapors and/or mists might irritate respiratory tract.
Target organs:	This material may cause damage to skin.
Environment:	Risk for contamination of earth, soil and water. The product will remain for long time in the environment.

4. First Aid Measures

Inhalation: coughing or	Move into fresh air and keep at rest. In case of persistent
attention.	irritation in throat after inhalation of oil mists: seek medical
Skin contact:	Remove immediately contaminated clothing and wash skin with
soap	and plenty of water. In case of rashes, wounds or other skin
disorders,	seek medical attention and show this instruction.
Eye contact: minutes.Remove	Flush immediately with plenty of water for up to 15
medical	contact lenses and keep eyelids open. If irritation persists, seek
incurca	attention and show this instruction.
Ingestion: amount has	Clean mouth with water. Obtain medical advice if a large
amount nas	been swallowed. Do not induce vomiting.

5. Fire-fighting Measures

Suitable extinguishing	Extinguish preferably with dry chemical, carbon dic	oxide (CO_2) ,
or	media:	foam.
Waterspray / mist may be used.		
Extinguishing media	Water jet, unless used by authorized people.(Stain r	isk caused

by which must not be used for safety reasons: Protective equipment for general fire fighters: Selection of respiratory protection for fire fighting : follow the fire precautions indicated by the workplace.

6. Accidental Release Measures

Personal precautions:	Suitable protection equipment should be used. In case of large		
spillage,	the cleaning procedure should be carried out using suitable		
protective	clothing such as overall, gloves and boots. Remove contaminated clothes as soon as possible. Smaller spillage can be wiped up with paper cloths, using		
protective	gloves.		
Environmental pre- courses, and soil. Contact local safe	Prevent spills to enter and spread to drains, sewers, water cautions: ty authorities.		
Methods for cleaning	Absorb leaking product with sand, earth or other suitable inert up: material		
and collect. Waste disposal according to section 13.			
Physical and chemical	At elevated temperatures flammable vapors and decomposition hazard: products		
will be released.Risk for slippery	floors if spilled out.		

7. Handling and Storage

Handling:	Avoid prolonged and repeated contact with oil, particularly used
oil.	Always remove oil with soap and water or skin cleaning agent,
never	use organic solvents. Do not use oil-contaminated clothing or
shoes,	and do not put rags moistened with oil into pockets.
montions	Handle in accordance with good industrial hygiene and safety

practices.

Issuing date: 2003-06-26

Technical measures:	Use work methods that minimize oil mist production.Avoid temperatures above the flashpoint.
Technical precautions: required.	When working with heated oil, mechanical ventilation may be
Storage:	Store in tightly closed original container and at ambient
temperature or	with lowest necessary heating as handling requires. Empty containers may contain residues that can ignite with
explosive	force.Do not pressurize, cut, weld, braze solder, drill, grind or
expose	empty container to any flames, sparks heat or other potential
sources	of ignition.

8. Exposure Controls/Personal Protection

	Control parameters:	Exposure via the air and normal handling.		
Lim	Engineering measures:	Provide adequate ventilation. Observe Occupational Exposure and minimize the risk of inhalation of vapors and oil mist. Provide access to washing facilities including soap.Skin fatty cream.		
	nser and			
	Chemical name:	Exposure limits:	Type/Notes:	References:
	Oil mist, mineral Oil mist, mineral	5 mg/m^3 5 mg/m ³	TWA TWA	OSHA ACGIH (2003)
	On mist, mineral	J mg/m	1 1112	1100m (2003)
	•Respiratory protection:	-		of inhalation of oil mist ype A2P2 can be used.
	•Hand protection:	Wear oil-resistant p	orotective gloves.Sui	table gloves are
neoprene, is	nitrile- or acrylnitrilebutadiene rubber, or PVC. Frequent change			
1.0		advisable.		

Issuing date: 2003-06-26

 •Eye protection: Risk of splashes: Wear safety goggles / safe shield.
 •Skin and body proteccontact. tion: Hygienic measures: reuse.
 Wear protective clothing or apron when there is a risk of skin when there is a risk of skin before splashes.

9. Physical and Chemical Properties

Appearance:	Viscous yellow liquid.
Color:	<0.5 ASTM, pale light yellow
Odor:	Odorless / light petroleum
Melting point/pour point:	-24°F
Initial boiling point:	>482°F
Density at 59°F:	$887 \text{ kg/m}^3 (\text{Water} = 1000 \text{ kg/m}^3)$
Flash point,PM:	> 294.8°F
Auto ignition temp.:	>518°F
Solubility in water:	Not soluble.
Solubility in organic solvents:	Soluble
Decomposition temp.:	>536F°
Vapor pressure at 212°F:	160 Pascal
Calculated partition coefficient n-octanol/ water, log P _{ow} :	>6
Viscosity at 104°F:	9.0 cSt
DMSO extractible compour according to IP 346: pH:	nds < 3% not relevant

10. Stability and Reactivity

Issuing date: 2003-06-26

Stability:	Stable at normal temperature conditions. Will decompose at temperatures exceeding 518°F.
Avoid:	Excessive heating and highly oxidizing agents.
Hazardous decomposition products:	Flammable gases which might also be noxious. With air present, there is a risk for auto ignition at temperatures >518°F.

11. Toxicological Information

The harmful effects may increase in used oil.

Acute toxicity: Inhalation: product	Inhalation of oil mist or vapors formed during heating of the may irritated the respiratory system and provoke coughing.
Skin contact: itching,	Degreasing. Prolonged or frequent contact may cause redness,
Ingestion:	irritation, eczema/chaps and oil acne. May cause irritate and cause malaise.Studies available indicate
oral	LD_{co} s of >5 000 mg/kg which is considered as low acute
toxicity.	
Eye contact:	Splashes may irritate.
Specific effects: skin	Prolonged or repeated contact with used oil may cause serious
SKIII	diseases such as dermatitis and skin cancer. This product contains no ingredient listed on the NTP, OSHA or
IARC carcinogen lists.	This product contains no ingredient listed on the NTF, OSFIA of

12. Ecological Information

Mobility: with	Low, due to low water solubility. The product is not miscible	
non-volatile.	water and will spread on the water surface. The product is	
Degradability:	The product is expected to be slowly biodegradable.	

Issuing date: 2003-06-26

BioaccumulativeBioaccumulation: $\text{Log P}_{ow} = >3.9->6.0.$ potential:The size of the hydrocarbon molecules reduces the risk of
bioaccumulation.Ecotoxicity: LC_{50} (fish) >1 000 mg/l. Low toxicity to fish.Other adverse effects:None known.

13. Disposal Considerations

Dispose of waste and residues according to agreement with local authorities.

14. Transport Information

This product is not covered by international regulation on the transport of dangerous goods (IMDG,

IATA, ADR/RID).

15. Regulatory Information

TSCA : all chemicals included in the product are TSCA listed.

Distillates (petroleum), hydrotreated naphthenic, CAS-No. 64742-52-5:

NFPA Rating: Health: 0 Fire: 1 Reactivity: 0 Other: -

Specific provisions:	National specific regulation may apply.		
National regulation:	The following list have been checked:		
	Threshold Limit Values (2003), ACGIH, by the American		
Conference Occupational	on Governmental Industrial Hygienists. The code of Federal Regulation, Title 29, part 1910.		
Occupational	safety and Health Standards, Air contaminants. U.S. Department of health an human services: 2002- Report on Carcinogens-10th Ed. International Agency for Research on Cancer (IARC): IARC Monographs on the Evaluation of Carcinogenic Risks to		

Humans.	
	Lyon: IARC, Word Health Organization, 1972-2000.
	The Code of Federal Regulation, Title 40, Part 261.33.
Identification	
	and listing of hazardous waste.
	The Code of Federal Regulation, Title 40, Part 302.4.
Designation,	······································
Dongmanon,	reportable quantities, and Notification.
	The Code of Federal Regulation, Title 40, Part 68.130.
Chemical	
Chomicar	accident Prevention Provisions.

16. Other Information

The user must be instructed in the proper work procedure and be familiar with the contents of these

instructions.

Handling of used oils:

Protect health - avoid prolonged and repeated skin contact. Wash with soap and water. Protect the environment - do not pollute drains, water courses or the soil. contact your local authority

for any used oil disposal instructions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material in combination with

any

other materials or in any process, unless specified in the text.

Issuing date: 2003-06-26

Standard Specification for Mineral Insulating Oil Used in Electrical Apparatus¹

This standard is issued under the fixed designation D 3487; the number immediately following the designation indicates the year of original adoption or, in the case of revision, the year of last revision. A number in parentheses indicates the year of last reapproval. A superscript epsilon (ϵ) indicates an editorial change since the last revision or reapproval.

This standard has been approved for use by agencies of the Department of Defense. Consult the DoD Index of Specifications and Standards for the specific year of issue which has been adopted by the Department of Defense.

1. Scope

1.1 This specification covers new mineral insulating oil of petroleum origin for use as an insulating and cooling medium in new and existing power and distribution electrical apparatus, such as, transformers, regulators, reactors, circuit breakers, switchgear, and attendant equipment.

- 2

1.2 This specification is intended to define a mineral insulating oil that is functionally interchangeable and miscible with existing oils, is compatible with existing apparatus and with appropriate field maintenance,² and will satisfactorily maintain its functional characteristics in its application in electrical equipment. This specification applies only to new insulating oil as received prior to any processing.

2. Referenced Documents

2.1 ASTM Standards:

- D 88 Test Method for Saybolt Viscosity³
- D 92 Test Method for Flash and Fire Points by Cleveland Open Cup³
- D 97 Test Method for Pour Point of Petroleum Oils⁴
- D445 Test Method for Kinematic Viscosity of Transparent and Opaque Liquids (and the Calculation of Dynamic Viscosity)⁴
- D611 Test Methods for Aniline Point and Mixed Aniline Point of Petroleum Products and Hydrocarbon Solvents^{4a}
- D 877 Test Method for Dielectric Breakdown Voltage of Insulating Liquids Using Disk Electrodes⁴
- D923 Methods of Sampling Electrical Insulating Liquids³
- D924 Test Method for A-C Loss Characteristics and Relative Permittivity (Dielectric Constant) of Electrical Insulating Liquids³
- D971 Test Method for Interfacial Tension of Oil Against Water by the Ring Method⁴
- D974 Test Method for Acid and Base Number by Color-Indicator Titration⁴

¹ This specification is under the jurisdiction of ASTM Committee D-27 on Electrical Insulating Liquids and Gases and is the direct responsibility of Subcommittee D27.01 on Mineral Oils.

Current edition approved May 12, 1988. Published August 1988. Originally published as D 3487 - 76. Last previous edition D 3487 - 82a.

² Refer to American National Standard C59.131. Guide for Acceptance and Maintenance of Insulating Oil in Equipment (IEEE Standard 64). Available from the American National Standards Institute, 1430 Broadway, New York, NY 10018.

³ Annual Book of ASTM Standards, Vol 10.03.

- ^{3a} Discontinued; see 1987 Annual Book of ASTM Standards, Vol 10.03.
- Annual Book of ASTM Standards, Vols 10.03 and 05.01.
- 4ª Annual Book of ASTM Standards, Vols 05.01, 06.03, and 10.03.

- D 1275 Test Method for Corrosive Sulfur in Electrical Insulating Oils⁴
- D 1298 Test Method for Density, Relative Density (Specific Gravity), or API Gravity of Crude Petroleum and Liquid Petroleum Products by Hydrometer Method⁴
- D 1473 Test Method for 2,6-Ditertiary-Butyl Para-Cresol in Electrical Insulating Oils^{3a}
- D 1500 Test Method for ASTM Color of Petroleum Products (ASTM Color Scale)⁴
- D 1524 Method for Visual Examination of Used Electrical Insulating Oils of Petroleum Origin in the Field³
- D 1533 Test Methods for Water in Insulating Liquids (Karl Fischer Reaction Method)³
- D 1816 Test Method for Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Using VDE Electrodes³
- D 1903 Test Method for Coefficient of Thermal Expansion of Electrical Insulating Liquids of Petroleum Origin, and Askarels³
- D 2112 Test Method for Oxidation Stability of Inhibited Mineral Insulating Oil by Rotating Bomb³
- D 2300 Test Method for Gassing of Insulating Oils Under Electrical Stress and Ionization (Modified Pirelli Method)³
- D 2440 Test Method for Oxidation Stability of Mineral Insulating Oil³
- D2668 Test Method for 2,6-Ditertiary-Butyl Para-Cresol and 2,6-Ditertiary-Butyl Phenol in Electrical Insulating Oil by Infrared Absorption³
- D 2717 Test Method for Thermal Conductivity of Liquids⁵
- D 2766 Test Method for Specific Heat of Liquids and Solids 6
- D 3300 Test Method for Dielectric Breakdown Voltage of Insulating Oils of Petroleum Origin Under Impulse Conditions³
- D 4059 Method for Analysis of Polychlorinated Biphenyls in Insulating Liquids by Gas Chromatography³

3. Definitions

3.1 Type I Mineral Oil—an oil for apparatus where normal oxidation resistance is required. Some oils may require the addition of a suitable oxidation inhibitor to achieve this.

3.2 Type II Mineral Oil-an oil for apparatus where

⁵ Annual Book of ASTM Standards, Vols 05.02 and 14.01.

⁶ Annual Book of ASTM Standards, Vol 05.02.

TABLE 1 Property Requirements

	Limit		ASTM Test
Property	Турен	Type II	Method
Physical:			
Aniline point, °C	(63-84) ^A	(63-84) ^A	D 611
Color, max	0.5	0.5	D 1500
Flash point, min, °C	145	145	D 92
Interfacial tension at 25°C, min, dynes/cm	40	40	D 971
Pour point, max, °C	-40 ^B	-408	D 97
Specific gravity, 15°C/15°C max	0,91	0.91	D 1298
Viscosity, max, cSt (SUS) at:			
100°C	3.0 (36) ^c	3.0 (36) ^C	D 445 or D 88
40°C	12.0 (66) ^C	12.0 (66) ^C	0 440 0 0 00
0°C	76.0 (350)	76.0 (350)	
Visual examination	clear and bright	clear and bright	D 1524
	clear and bright	clear and Dright	0 1024
Electrical:			
Dielectric breakdown voltage at 60 Hz:	30	30	D 877
Disk electrodes, min, kV	280	280	
VDE electrodes, min, kV 0.040-in. (1.02-mm) gap	28- 56 ⁰	28- 56 ⁰	D 1816
0.080-in. (2.03-mm) gap	565	565	
Dielectric breakdown voltage, impulse conditions	1 A.C. A.E.	4 AM 0 5	
25°C, min, kV, needle negative to sphere grounded,	145 ^{AE}	145 ^{A,E}	
1-in. (25.4-mm) gap			
Gassing tendency, ^{F.G} max, µL/min	+15	+15	D 2300 (Procedure A
	+30	+30	D 2300 (Procedure E
Dissipation factor (or power factor), at 60 Hz max, %:			D 924
25°C	0.05	0.05	
100°C	0.30	0.30	
Chemical:			
Oxidation stability (acid-sludge test)			D 2440
72 h:			
% sludge, max, by mass	0.15	0.1^	
Total acid number, max, mg KOH/g	0.5	0.3 ^A	
164 h:			
% sludge, max, by mass	0.3	0.24	
Total acid number, max, mg KOH/g	0.6	0.4 ^A	
Oxidation stability (rotating bomb test), min, minutes		195	D 2112
Oxidation inhibitor content, max, % by mass	0.08	0.3	D 1473 or D 2668*
Corrosive sulfur	noncorr	osive	D 1275
Water, max, ppm	35	35	D 1533
Neutralization number, total acid number, max, mg	0.03	0.03	D 974
KOH/g	40 F 10 41	****	
PCB content, ppm	not detectable	not detectable	D 4059

^A The value shown represents current knowledge. Work is in progress to reaffirm the validity of this value.

⁸ In certain sections of the United States and Canada, it is common practice to specify a lower or higher pour point, depending upon climatic conditions.

^c At the temperatures previously used for insulating oil viscosity determinations, these values correspond to 3.1 cSt (36.5 SUS) at 210°F (98.9°C) and to 13.0 cSt (70 SUS) at 100°F (37.8°C).

^o These limits by Method D 1816 are applicable only to new oil which has been filtered, dehydrated, and degassed (see Appendix, X2.2.3).

^E Currently available oils vary in impulse strength. Some users prefer oil of a 145 kV minimum for certain applications, while others accept oil with impulse strength as low as 130 kV for other applications.

F Specification requires that insulating oils meet the gassing tendency limits as measured by Method D 2300 either Procedure A or B. The specification does not require that insulating oils meet gassing tendency limits as measured by both Method D 2300 Procedures A and B.

^G In the gassing tendency test in Method D 2300 Procedures A and B, the test temperature should be 80°C with a test voltage of 12 kV for Procedure A and a test voltage of 10 kV for Procedure B.

⁴⁷ Both 2-ditertiany-butyl para-cresol and 2,6-ditertiary butylphenol have been found to be suitable oxidation inhibitors for use in oils meeting this specification. Preliminary studies indicate Method D 2668 is suitable for determining concentration of either inhibitor or their mixture. Method D 1473 is suitable for determining concentration of 2,6-ditertiary-butyl para-cresol, but its applicability to 2,6-ditertiary butylphenol is still under investigation.

greater oxidation resistance is required. This is usually achieved with the addition of a suitable oxidation inhibitor.

NOTE 1-During processing of inhibited mineral oil under vacuum and elevated temperatures, partial loss of inhibitor and volatile portions of mineral oil may occur. The common inhibitors, 2,6-ditertiary-butyl para-cresol and 2,6-ditertiary-butyl phenol, are more volatile than transformer oil. If processing conditions are too severe, oxidation stability of the oil may be decreased due to loss of inhibitor. The selectivity for removal of moisture and air in preference to loss of inhibitor and oil is improved by use of a low processing temperature.

Conditions that have been found satisfactory for most inhibited mineral oil processing are:

	Minimum Pressure		
Temperature, *C	Pa	Torr, Approximate	
·′ 40	5	0.04	
50	10	0.075	
* 60 /	20	0.15	
70 .	40	0.3	
80	100	0.75	
90	400	3.0	
100	1000	F.5	

If temperatures higher than those recommended for the operating pressure are used, the oil should be tested for inhibitor content and inhibitor added as necessary to return inhibitor content to its initial value. Attempts to dry apparatus containing appreciable amounts of free water may result in a significant loss of inhibitor even at the conditions recommended above.

3.3 *additives*—chemical substances that are added to mineral insulating oil to achieve required functional properties.

3.4 *properties*—those properties of the mineral insulating oil which are required for the design, manufacture, and operation of the apparatus. These properties are listed in Section 5:

4. Sampling and Testing

4.1 Take all oil samples in accordance with Methods D 923.

4.2 Make each test in accordance with the latest revision of the ASTM test method specified in Section 5.

4.3 The oil shall meet the requirements of Section 5 at the unloading point.

NOTE 2—Because of the different needs of the various users, items relating to packaging, labeling, and inspection are considered to be subject to buyer-seller agreement.

NOTE 3—In addition to all other tests listed herein, it is sound engineering practice for the apparatus manufacturer to perform an evaluation of new types of insulating oils in insulation systems, prototype structures, or full-scale apparatus, or any combination thereof, to assure suitable service life.

4.4 Make known to the user the generic type and amount of any additive used, for assessing any potential detrimental reaction with other materials in contact with the oil.

5. Property Requirements

5.1 Mineral insulating oil conforming to this specification shall meet the property limits given in Table 1. The significance of these properties is discussed in Appendix X2.

APPENDIXES

(Nonmandatory Information)

X1. SUPPLEMENTARY DESIGN INFORMATION

X1.1 The following values are typical for presently used mineral insulating oils. For oils derived from paraffinic or mixed-base crudes, the apparatus designer needs to know that these properties have not changed.

Property	Typical Values	ASTM Test Method
Coefficient of expansion, /°C from 25 to 100°C	0.0007 to 0.0008	D 1903
Dielectric constant, 25°C	2.2 to 2.3	D 924
Specific heat, cal/g, 20°C	0.44	D 2766
Thermal conductivity, cal/ cm·s·*C, from 20 to 100°C	$(0.30 \text{ to } 0.40) \times 10^{-3}$	D 2717

X2. SIGNIFICANCE OF PROPERTIES OF MINERAL INSULATING OIL

X2.1 Physical Properties

÷.

X2.1.1 Aniline Point—The aniline point of a mineral insulating oil indicates the solvency of the oil for materials that are in contact with the oil. It may relate to the impulse and gassing characteristics of the oil.

X2.1.2 Color—A low color number is an essential requirement for inspection of assembled apparatus in the tank. An increase in the color number during service is an indicator of deterioration of the mineral insulating oil.

X2.1.3 Flash Point—The safe operation of the apparatus requires an adequately high flash point.

X2.1.4 Interfacial Tension—A high value for new mineral insulating oil indicates the absence of undesirable polar contaminants. This test is frequently applied to service-aged oils as an indicator of the degree of deterioration.

X2.1.5 Pour Point—The pour point of mineral insulating oil is the lowest temperature at which the oil will just flow and many of the factors cited under viscosity apply. The pour point of -40° C may be obtained by the use of suitable distillates, refining processes, the use of appropriate long life additives, or any combination thereof. If a pour point additive is used, it is necessary to make known the amount and chemical composition. X2.1.6 Specific Gravity—The specific gravity of a mineral insulating oil influences the heat transfer rates and may be pertinent in determining suitability for use in specific applications. In extremely cold climates, specific gravity has been used to determine whether ice, resulting from freezing of water in oil-filled apparatus, will float on the oil and possibly result in flashover of conductors extending above the oil level. See, for example, "The Significance of the Density of Transformer Oils."

X2.1.7 Viscosity—Viscosity influences the heat transfer and, consequently, the temperature rise of apparatus. At low temperatures, the resulting higher viscosity influences the speed of moving parts, such as those in power circuit breakers, switchgear, load tapchanger mechanisms, pumps, and regulators. Viscosity controls mineral insulating oil processing conditions, such as dehydration, degassification and filtration, and oil impregnation rates. High viscosity may adversely affect the starting up of apparatus in cold climates (for example, spare transformers and replacements).

⁷ Mulhall, V. R., "The Significance of the Density of Transformer Oils," *IEEE Transactions on Electrical Insulation*, Vol 15, No. 6, December 1980, pp. 498-499.

X2.1.8 Visual Examination—A simple visual inspection of mineral insulating oil may indicate the absence or presence of undesirable contaminants. If such contaminants are present, more definitive testing is recommended to assess their effect on other functional properties.

X2.2 Electrical Properties

X2.2.1 Dielectric Breakdown Voltage, 60 Hz—The dielectric breakdown voltage of a mineral insulating oil indicates its ability to resist electrical breakdown at power frequencies in electrical apparatus.

Nugo.

X2.2.1.1 Dielectric Breakdown—Disk Electrodes—The test utilizing disk electrodes is useful in assessing the quality of the mineral insulating oil as received in tank cars, tank trucks, or drums. It is not sensitive enough to determine if an oil meets the minimum acceptable breakdown strength needed for processed oil used in some equipment.

X2.2.1.2 Dielectric Breakdown—VDE Electrodes—The VDE method (D 1816), because of its sensitivity to contaminants, is used to determine if a processed oil meets the minimum acceptable breakdown strength of new oils, as required in apparatus. To obtain the limits shown in Section 5, oil must be filtered, dehydrated, and degassed. (As a guide for the user of this test procedure, acceptable processing should yield an oil that is essentially free of particulate matter, and with moisture and gas content levels of the order of 15 ppm and 0.5 % by volume, respectively.) This test is not applicable to new unprocessed oil.

X2.2.2 Dielectric Breakdown Voltage-Impulse—The impulse strength of oil is critical in electrical apparatus. The impulse breakdown voltage of an oil indicates its ability to resist electrical breakdown under transient voltage stresses (lightning and switching surges). The functional property is sensitive to both polarity and electrode geometry.

X2.2.3 Dissipation Factor—Dissipation factor (power factor) is a measure of the dielectric losses in an oil. A low dissipation factor indicates low dielectric losses and a low level of soluble contaminants.

X2.3 Chemical Properties

X2.3.1 Oxidation Inhibitor Content—Oxidation inhibitor added to mineral insulating oil retards the formation of oil sludge and acidity under oxidative conditions. It is important to know if an oxidation inhibitor has been added to the oil and the amount. 2,6-Ditertiary-butyl para-cresol and 2,6ditertiary butylphenol have been found suitable for use in

mineral insulating oils complying with this specification. It is anticipated that other oxidation inhibitors will be accepted. X2.3.2 Corrosive Sulfur—The absence of elemental sulfur and thermally unstable sulfur-bearing compounds is necessary to prevent the corrosion of certain metals such as copper and silver in contact with the mineral insulating oil.

X2.3.3 Water Content—A low water content of mineral insulating oil is necessary to achieve adequate electrical strength and low dielectric loss characteristics, to maximize the insulation system life, and to minimize metal corrosion.

X2.3.4 Neutralization Number—A low total acid content of a mineral insulating oil is necessary to minimize electrical conduction and metal corrosion and to maximize the life of the insulation system.

X2.3.5 Oxidation Stability—The development of oil sludge and acidity resulting from oxidation during storage, processing, and long service life should be held to a minimum. This minimizes electrical conduction and metal corrosion, maximizes insulation system life and electrical breakdown strength, and ensures satisfactory heat transfer. The limiting values in accordance with Section 5, as determined by Methods D 2112 and D 2440, best achieve these objectives.

X2.3.6 Gassing—The gassing tendency of a mineral insulating oil is a measure of the rate of absorption or desorption of hydrogen into or out of the oil under prescribed laboratory conditions. It reflects, but does not measure, aromaticity of the oil. Most oil-filled transformers are blanketed with nitrogen or oxygen-depleted air. The gassing tendency of oil under nitrogen does not directly relate to its gassing tendency under hydrogen. No quantitative relationship has been established between the gassing tendency of an oil, as indicated by the results of Method D 2300, and the performance or life of that oil in service.

X2.3.7 PCB Content—United States regulations specify procedures to be followed for the use and disposal of electrical apparatus and electrical insulating fluids containing PCB (polychlorinated biphenyls). The procedure to be used for a particular apparatus or lot of insulating fluid is determined from its PCB content. New mineral insulating oil of the type covered by this specification should not contain any detectable PCB. A nondetectable PCB concentration measured by Method D 4059 provides documentation to permit the insulating oil and apparatus containing it to be used without the labeling, recordkeeping, and disposal restrictions required of PCB-containing materials.

\$7°.

SPILL REPORT FORM

 \tilde{A}

0

COURTICE POWER PARTNERS

Project Information	
Job Name	Site Supervisor
Durham - York. Energy Centre	Greg Elms - W.S. Nicholls
Date of Occurrence	Contractor Responsible for Spill
Tuesday. July 9/13.	W.S. Nicholls
Material Spilled Approx. Quantity	Location of Spill
Hydraulic Fluid. 1 litre	West side of Boiler Building
Description of Incident	
a hydraulic line on	a articulating boom lift let
as releasing a small	Il amount of hydraulic
oil on the ground.	
Root Cause Analysis	
Manual Failure of	pressurized hydraulic line:
Method of Containment (describe clean up measures used to contain the	spill)
absorbant pads.	
ourse have bude	
MSDS Available: Yes P No	NOTE - Please contact the Shop for refills of Spill Kit contents
Environmental Impact Minimal	
Health & Safety Impact <u>Low</u>	
Property Damage Yes No	If Yes Describe:
Items inSpill Kit Used? Yes Ves No	
Cost Implications	
Personnel (list all site personnel involved in the containment and clean up of the	e spill) Clean Up Details (include a list of spill kit and or other contents used)
Name Jason Duggan - BIM.	absorbant Pads.
Name Grey Elms - Bim.	
1	
Name Dave Houston. B/M.	Method of Disposal (describe disposal methods of contents used)
Name	
Name	
Comments and Recommendations	
Report Prepared By: Dayrell Re	Date: July 12/13
insport repaired by. Transferry the	me pain. The first in



1. Product and company identification

Product name	Paradene AW 32
MSDS #	459059
Code	459059-CA01
Product use	Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563
Supplier	Wakefield Canada, Limited 3620 Lakeshore Blvd West Toronto, Ontario, Canada M8W 1P2
	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563 Product Information: +1-877-641-1600
EMERGENCY SPILL INFORMATION:	1 (613) 996-6666 CANUTEC (Canada)

2. Hazards identification

Physical state	Liquid.
vlor	Amber. [Light]
Emergency overview	CAUTION !
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.
Routes of entry	Dermal contact. Eye contact. Inhalation.
Potential health effects	
Eyes	May cause eye irritation.
Skin	May cause skin irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	Ingestion may cause gastrointestinal irritation and diarrhea.
See toxicological information	(Section 11)

3. Composition/information on ingredients

· · · · · · · · · · · · · · · · · · ·		
Ingredient name	CAS #	%
Base oil - highly refined	Varies	95 - 100

Product name	Paradene AW 32	Product code	459059-CA01 Page:	1/5
Version 1	Date of issue 03/30/2012.	Format Canada	Language ENGL	ISH
		(Canada)	(ENGL	.ISH)

4. First aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.	
∼kin contact	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.	
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.	
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms occur.	
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.	
	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discolored and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimize tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.	

5. Fire-fighting measures

Flash point	Closed cup: 200°C (392°F) [Pensky-Martens.]	
Fire/explosion hazards	In a fire or if heated, a pressure increase will occur and the container may burst.	
Extinguishing media		
Suitable	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	Do not use water jet.	
Fire-fighting procedures	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
<i>i</i> zardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide)	
Protective clothing (fire)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	

6. Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Product name	Paradene AW 3	32		Product code	459059-CA01	Page: 2/5
Version 1	Date of issue	03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)

7. Handling and storage

Handling	Put on appropriate personal protective equipment (see Section 8). Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Storage	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits	
Ingredient name	Occupational exposure limits
Base oil - highly refined	ACGIH (United States). TWA: 5 mg/m ³ 8 hour(s). Form: Mineral oil, mist OSHA (United States). TWA: 5 mg/m ³ 8 hour(s). Form: Mineral oil, mist

While specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist,
use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Avoid contact with eyes. Safety glasses with side shields or chemical goggles.
Avoid contact with skin and clothing. Wear suitable protective clothing.
Use adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.
The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

9. Physical and chemical properties

Physical state	Liquid.
Color	Amber. [Light]
Odor	Not available.
Odor threshold	Not available.
Flash point	Closed cup: 200°C (392°F) [Pensky-Martens.]
Specific gravity	Not available.
Density	872 kg/m³ (0.872 g/cm³) at 15.6°C
рН	Not available.
Viscosity	Kinematic: 32 mm²/s (32 cSt) at 40°C
Boiling point / Range	Not available.
Iting point / Range	Not available.

Product name	Paradene AW 32	Product code	459059-CA01 Page: 3/5
Version 1	Date of issue 03/30/2012.	Format Canada	Language ENGLISH
		(Canada)	(ENGLISH)

Vapor pressure	Not available.
Vapor density	Not available.
Evaporation rate	Not available.
Solubility	insoluble in water.
gKow	Not available.

10. Stability and reactivity

Stability and reactivity	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatibility with various substances	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Potential chronic health effects

Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Reproductive effects	No known significant effects or critical hazards.
Medical conditions rgravated by over- posure	None known.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), transportation and disposal

Product name	Paradene AW 32	Product code	459059-CA01	Page: 4/5
Version 1	Date of issue 03/30/2012.	Format Canada	Language	ENGLISH
		(Canada)		(ENGLISH)

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

J. Regulatory information

WHMIS (Canada)

Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Other regulations	
Canada inventory	All components are listed or exempted.
United States inventory (TSCA 8b)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
Australia inventory (AICS)	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.

16. Other information

Label requirements	CAUTION !
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
History	
rte of issue	03/30/2012.
Jate of previous issue	No previous validation.
Prepared by	Product Stewardship

✓ Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.


It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Paradene AW 32		Product code	459059-CA01	Page: 5/5
Version 1	Date of issue 03/30/2012.	Format	Canada	Language	ENGLISH
			(Canada)		(ENGLISH)

SPILL REPORT FORM

COURTICE POWER PARTNERS BARTON-MALOW CANADA · KENAIDAN CONTRACTING LTD.

Project Information	
Job Name Site Superv	isor
Durham York. Energy Centre	Rick Benns
Date of Occurrence Contractor	Responsible for Spill
Friday July 19th 2013 W.S	Nicholls
Material Spilled Approx. Quantity Location of	
Hydraulic Oil 3 Litres A.P.C	Ground Floor - Concrete Slab.
Description of Incident	
Workers were working from t	ne man basket of a
articulatine boom lift. While	laurering H. man hasket
articulating boom lift. While there was a hydrouelic leak	from inside the should cover
	addit and the standard and
Root Cause Analysis Machanical Failure - Rupture	d Line (IL Levelic)
Mechanical ruliure - nuprure	21 Line (maraulic)
	distriction of the second s
Method of Containment (describe clean up measures used to contain the spill)	
Absorbant Pads. Wiped down	the spill area and the.
boom lift.	
MSDS Available: Yes 🛛 No 🗌	NOTE - Please contact the Shop for refills of Spill Kit contents
Environmental Impact Minimal	
Health & Safety Impact No HRS impact	· · · · · · · · · · · · · · · · · · ·
Property Damage Yes D No 🖉 If	Yes Describe:
	bsorbant Padr
Cost ImplicationsS	
Personnel (list all site personnel involved in the containment and clean up of the spill)	Clean Up Details (include a list of spill kit and or other contents used)
Name Rick Berns - Supervisor	Absorbant Pads.
Name Larry Sullivan	
Name Tom Glacine	Method of Disposal (describe disposal methods of contents used)
Alama	Detox Environmental will
Name	
Name	Remaine The clean-wo material
	remove the clean-up material
Comments and Recommendations	remove The clean-up material
Comments and Recommendations	



1. Product and company identification

Product name	Paradene AW 32
MSDS #	459059
Code	459059-CA01
Product use	Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Manufacturer	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563
Supplier	Wakefield Canada, Limited 3620 Lakeshore Blvd West Toronto, Ontario, Canada M8W 1P2
	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563 Product Information: +1-877-641-1600
EMERGENCY SPILL INFORMATION:	1 (613) 996-6666 CANUTEC (Canada)

2. Hazards identification

Physical state	Liquid.				
Color	Amber. [Light]				
Emergency overview	CAUTION !				
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.				
	Prolonged or repeated contact can defat the skin and lead to irritation and/or dermatitis. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.				
Routes of entry	Dermal contact. Eye contact. Inhalation.				
Potential health effects					
Eyes	May cause eye irritation.				
Skin	May cause skin irritation.				
Inhalation	May cause respiratory tract irritation.				
Ingestion	Ingestion may cause gastrointestinal irritation and diarrhea.				
See toxicological information	ee toxicological information (Section 11)				

3. Composition/information on ingredients

Ingredient name	CAS #	%
Base oil - highly refined	Varies	95 - 100

and the second se	Product name	Paradene AW 32		Product code	459059-CA01	Page: 1/5
A COMPANY OF A COMPANY OF A COMPANY	Version 1	Date of issue 03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)

4. First aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if symptoms occur.
Skin contact	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately. Get medical attention if symptoms occur.
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discolored and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimize tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

5. Fire-fighting measures

Flash point	Closed cup: 200°C (392°F) [Pensky-Martens.]
Fire/explosion hazards	In a fire or if heated, a pressure increase will occur and the container may burst.
Extinguishing media	
Suitable	Use an extinguishing agent suitable for the surrounding fire.
Not suitable	Do not use water jet.
Fire-fighting procedures	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide)
Protective clothing (fire)	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions	No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods for cleaning up	
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water- soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

 Product name	Paradene AW 3	32		Product code	459059-CA01	Page: 2/5
 Version 1	Date of issue	03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)

7. Handling and storage

Handling	Put on appropriate personal protective equipment (see Section 8). Workers should wash hands and face before eating, drinking and smoking. Do not breathe vapor or mist. Do not ingest. Avoid contact with eyes, skin and clothing. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate.
Storage	Store in accordance with local regulations. Store away from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see section 10). Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

Occupational exposure limits	
Ingredient name	Occupational exposure limits
Base oil - highly refined	ACGIH (United States). TWA: 5 mg/m ³ 8 hour(s). Form: Mineral oil, mist OSHA (United States). TWA: 5 mg/m ³ 8 hour(s). Form: Mineral oil, mist

While specific OELs for certain components may be shown in this section, other components may be present in any mist, vapor or dust produced. Therefore, the specific OELs may not be applicable to the product as a whole and are provided for guidance only.

Control Measures	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing.
Personal protection	
Eyes	Avoid contact with eyes. Safety glasses with side shields or chemical goggles.
Skin and body	Avoid contact with skin and clothing. Wear suitable protective clothing.
Respiratory	Use adequate ventilation. In accordance with good industrial hygiene and safety work practices, airborne exposures should be controlled to the lowest extent practicable.
Hands	The correct choice of protective gloves depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

9. Physical and chemical properties

Physical state	Liquid.
Color	Amber. [Light]
Odor	Not available.
Odor threshold	Not available.
Flash point	Closed cup: 200°C (392°F) [Pensky-Martens.]
Specific gravity	Not available.
Density	872 kg/m³ (0.872 g/cm³) at 15.6°C
pН	Not available.
Viscosity	Kinematic: 32 mm²/s (32 cSt) at 40°C
Boiling point / Range	Not available.
Melting point / Range	Not available.

Product name	Paradene AW 3	32		Product code	459059-CA01	Page: 3/5
Version 1	Date of issue	03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)

Vapor pressure	Not available.
Vapor density	Not available.
Evaporation rate	Not available.
Solubility	insoluble in water.
LogKow	Not available.

10. Stability and reactivity

Stability and reactivity	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatibility with various substances	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Potential chronic health effects

Carcinogenicity	No known significant effects or critical hazards.
Mutagenicity	No known significant effects or critical hazards.
Teratogenicity	No known significant effects or critical hazards.
Fertility effects	No known significant effects or critical hazards.
Reproductive effects	No known significant effects or critical hazards.
Medical conditions aggravated by over- exposure	None known.

12. Ecological information

Ecotoxicity

No testing has been performed by the manufacturer.

13. Disposal considerations

Waste information

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

NOTE: The generator of waste has the responsibility for proper waste identification (based on characteristic(s) or listing), transportation and disposal

Product name	Paradene AW	32		Product code	459059-CA01	Page: 4/5
Version 1	Date of issue	03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)

14. Transport information

Not classified as hazardous for transport (DOT, TDG, IMO/IMDG, IATA/ICAO)

15. Regulatory information

WHMIS (Canada) Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Other regulations	
Canada inventory	All components are listed or exempted.
United States inventory (TSCA 8b)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.
Australia inventory (AICS)	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
	·

16. Other information

Label requirements	CAUTION !
	MAY CAUSE RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
History	
Date of issue	03/30/2012.
Date of previous issue	No previous validation.
Prepared by	Product Stewardship

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

 Product name	Paradene AW 3	32		Product code	459059-CA01	Page: 5/5
 Version 1	Date of issue	03/30/2012.	Format	Canada	Language	ENGLISH
				(Canada)		(ENGLISH)



SPILL REPORT FORM

Project Information	
Job Name	Site Supervisor
DYEC	Jesse House
Date of Occurrence	Contractor Responsible for Spill
Wednesday Bept. 4 2013	KDM Erectors
Material Spilled Approx. Quantity	Location of Spill
011/Engine 150040 ~ 24	Residue Blog
Description of Incident	
machine with blown he	ad pasket ups wing landed
out for a new one, c	ad gasket was being traded Dil spilled at of exhaust.
Pipe	oprice at of stratest
toot Cause Analysis	
Blewn head gasket	
<u>F</u>	
And and all a second second	
lethod of Containment (describe clean up measures used to contain th	
Absorbal, gnakes and ro	ugs. Water pumped
MSDS Available: Yes D No D	NOTE - Please contact the Shop for refills of Spill Kit contents
Environmental Impact (on tamina the	on of water, possibley
Health & Safety Impact	
Property Damage Yes 🛛 No 🗍	If Yes Describe: <u>Concrete possibly</u>
Items inSpill Kit Used? Yes 🛛 No 🗆	Stained
Cost Implications	
Personnel (list all site personnel involved in the containment and clean up of	t the spill) Clean Up Details (include a list of spill kit and or other contents used)
Name Cameson Meen	absorbal, cloth snake,
	Cat littler, absorbent
Name Mike Magison	- 1095
Nome Marcial Company	Method of Disposal (describe disposal methods of contents used)
Name Marcel Gagnon	Prodaminated material will be
Name Byron Estrade	- Cadamirated Material will be disposed of by Staty Kleen.
J	
Name	
Somments and Recommendations	
Report Prepared By: <u>('Ourselon</u>	Meeh Date: Sept 4, 2013

Material Safety Data Sheet

DURON [™] -E 15W-40



Product and company identification 4 : DURON [™] -E 15W-40 Product name Code : DE15, 420-065 Material uses : DURON-E 15W-40 is a superior quality heavy duty diesel engine oil specifically designed for '07 EPA engine requirements along with improved performance benefits in legacy engines. Application includes modern low emission diesel engines with cooled exhaust gas recirculation and exhaust after treatment technology. It is suitable also for passenger car and light truck diesel engines, and spark ignition engines. Manufacturer : Petro-Canada Lubricants Inc. 2310 Lakeshore Road West Mississauga Ontario Canada L5J 1K2 In case of emergency : Suncor Energy: 403-296-3000 Canutec Transportation: 613-996-6666 Poison Control Centre: Consult local telephone directory for emergency number(s). 2 Hazards identification Physical state : Viscous liquid. Odour : Mild petroleum oil like.

		wing posterious and the second s			
WHMIS (Canada)	:	Not controlled under WHMIS (Canada).			
OSHA/HCS status	*	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.			
Emergency overview	4 ×	No specific hazard.			
Routes of entry	*	Dermal contact. Eye contact. Inhalation. Ingestion.			
Potential acute health effects					
Inhalation	•	No known significant effects or critical hazards.			
Ingestion	4 †	No known significant effects or critical hazards.			
Skin	*	Slightly irritating to the skin.			
Eyes	:	Slightly irritating to the eyes.			
Potential chronic health effect	<u>:ts</u>				
Chronic effects	*	No known significant effects or critical hazards.			
Carcinogenicity	;	Not listed as carcinogenic by OSHA, NTP or IARC.			
Mutagenicity	5 1	No known significant effects or critical hazards.			
Teratogenicity	:	No known significant effects or critical hazards.			
Developmental effects	* *	No known significant effects or critical hazards.			
Fertility effects	;	No known significant effects or critical hazards.			
Medical conditions aggravated by over- exposure	4	Repeated skin exposure can produce local skin destruction or dermatitis. Repeated or prolonged contact with spray or mist may produce chronic eye irritation and severe skin irritation.			
See toxicological information (Section 11)					

Page Number: 2

3. Composition/information on ingredients

<u>Name</u>

Mixture of severely hydrotreated and hydrocracked base oil (petroleum).

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

The base oil may be a mixture of the following CAS#s: 8042-47-5, 64742-46-7, 64742-47-8, 64742-53-6, 64742-54-7, 64742-55-8, 72623-84-8, 72623-85-9, 72623-86-0, 72623-87-1, 178603-64-0, 178603-65-1, 178603-66-2, 445411-73-4

4. First-aid mea	asures
Eye contact	: Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation	 Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Protection of first-aiders	 No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
Notes to physician	 No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire-fighting measures

Flammability of the product	May be combustible at high temperature.	
Extinguishing media		
Suitable	Use an extinguishing agent suitable for the surrounding fire.	
Not suitable	None known.	
Special exposure hazards	Promptly isolate the scene by removing all persons from the vicinity of the incident i there is a fire. No action shall be taken involving any personal risk or without suitab training.	
Products of combustion	Carbon oxides (CO, CO2), sulphur oxides (SOx), calcium oxides (CaOx), aldehydes smoke and irritating vapours as products of incomplete combustion.	S,
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breat apparatus (SCBA) with a full face-piece operated in positive pressure mode.	thing
Special remarks on fire hazards	Low fire hazard. This material must be heated before ignition will occur.	
Special remarks on explosion hazards	Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat sources of ignition.	or

6. Accidental release measures

Personal precautions	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).

Date of issue : 10/12/2011.	Internet: lubricants.petro-canada.ca/msds	Page: 2/7
Petro-Canada is a Suncor Energy I	business ™ Trademark of Suncor En	ergy Inc. Used under licence.

6. Accidental release measures

Environmental precautions	se	void dispersal of spilt material and runoff and contact with soil, waterways, drains and ewers. Inform the relevant authorities if the product has caused environmental pollution sewers, waterways, soil or air).
Methods for cleaning up		
Small spill	if s pl	top leak if without risk. Move containers from spill area. Dilute with water and mop up water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and lace in an appropriate waste disposal container. Dispose of via a licensed waste isposal contractor.
Large spill	ur sr di (s at	top leak if without risk. Move containers from spill area. Approach the release from pwind. Prevent entry into sewers, water courses, basements or confined areas. Wash pillages into an effluent treatment plant or proceed as follows. Contain and collect pillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or iatomaceous earth and place in container for disposal according to local regulations see section 13). Dispose of via a licensed waste disposal contractor. Contaminated bsorbent material may pose the same hazard as the spill product. Note: see section 1 or emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

Storage

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

i	Ingredient	Exposure limits	1
	Mixture of severely hydrotreated and hydrocracked base oil (petroleum).	ACGIH TLV (United States). Notes: (Mineral oil) TWA: 5 mg/m ³ , (Inhalable fraction) 8 hour(s).	

Consult local authorities for acceptable exposure limits.

Recommended monitoring procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
Engineering measures	No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal protection	

Date of issue : 10/12/2011.Internet: lubricants.petro-canada.ca/msdsPage: 3/7Petro-Canada is a Suncor Energy business™ Trademark of Suncor Energy Inc. Used under licence.

DURON ™ -E 15W-40

Page Number: 4

8. Exposure controls/personal protection

Respiratory	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: organic vapour filter
Hands	 Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Recommended: neoprene, nitrile, polyvinyl alcohol (PVA), Viton®.
Eyes	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.
Skin	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Physical state	: Viscous liquid.
*	
Flash point	: Open cup: 228°C (442.4°F) [Cleveland.]
Auto-ignition temperature	: Fire Point: 243°C (469.4°F)
Flammable limits	: Not available.
Colour	: Light amber.
Odour	: Mild petroleum oil like.
Odour threshold	: Not available.
pH	: Not available.
Boiling/condensation point	: Not available.
Melting/freezing point	: Not available.
Relative density	: 0.8725 kg/L @ 15°C (59°F)
Vapour pressure	: Not available.
Vapour density	: Not available.
Volatility	: Not available.
Evaporation rate	: Not available.
Viscosity	: 118.2 cSt @ 40°C (104°F), 15.6 cSt @ 100°C (212°F), VI=139
Pour point	: -42°C (-44°F)
Solubility	: Insoluble in water.

10. Stability and reactivity

Chemical stability	; The product is stable.
Hazardous polymerisation	: Under normal conditions of storage and use, hazardous polymerisation will not occur.
Materials to avoid	: Reactive with oxidising agents, acids, halogens and halogenated compounds.
Hazardous decomposition products	: May release COx, H2S, aldehydes, alkyl mercaptans, sulfides, methacrylate monomers, smoke and irritating vapours when heated to decomposition.

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Mixture of severely hydrotreated and hydrocracked base oil (petroleum).	LD50 Dermal	Rabbit	>2000 mg/kg	-
ayorooraoleo oaso on (perfordany.	LD50 Oral LC50 Inhalation Dusts and mists	Rat Rat	>5000 mg/kg >5.2 mg/l	- 4 hours
Conclusion/Summary : Not availab	ole.			
Chronic toxicity				
Conclusion/Summary : Not availab	ole.			
Irritation/Corrosion				
Conclusion/Summary : Not available	ole.			
Sensitiser				
Conclusion/Summary : Not availab	ole.			
Carcinogenicity				
Conclusion/Summary : Not available	ble.			
Classification				
	ACGIH IARC A4 -	EPA -	NIOSH NTP	OSHA -
Mutagenicity				
Conclusion/Summary : Not availal	ole.			
Teratogenicity				
Conclusion/Summary : Not availab	ole.			
Reproductive toxicity				
Conclusion/Summary : Not availab	ole.			
19 Ecological information	***			******

12. Ecological information

Environmental effects	: No known significant effects or critical hazards.
Aquatic ecotoxicity	
Conclusion/Summary	: Not available.
Biodegradability	
Conclusion/Summary	: Not available.
Other adverse effects	: No known significant effects or critical hazards.

13. Disposal considerations

Waste disposal
 The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Date of issue : 10/12/2011.	Internet:	lubricants.petro-canada.ca/msds	Page: 5/7	
Petro-Canada is a Suncor Energy I	business	™ Trademark of Suncor Energy Inc.	Used under licence.	

DURON ™ -E 15W-40

Page Number: 6

13. Disposal considerations

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
TDG Classification	Not regulated.	•	•	ex.		-
DOT Classification	Not available.	Not available.	Not available.			

PG* : Packing group

15. Regulatory information

United States

HCS Classification : Not regulated. Canada WHMIS (Canada)

: Not controlled under WHMIS (Canada).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

International regulations

Canada inventory	: All components are listed or exempted.
United States inventory (TSCA 8b)	: All components are listed or exempted.
Europe inventory	 At least one component is not listed in EINECS but all such components are listed in ELINCS. Please contact your supplier for information on the inventory status of this material.
International lists	: China inventory (IECSC): All components are listed or exempted.

16. Other information

Hazardous Material Information System (U.S.A.)	: Health 1 Flammability 1 Physical hazards 0 Personal protection B
National Fire Protection Association (U.S.A.)	: Health Flammability Instability Special
References	: Available upon request. ™ Trademark of Suncor Energy Inc. Used under licence.
Date of printing	: 10/12/2011.
Date of issue	: 12 October 2011
Date of previous issue	: 9/30/2010.
Responsible name	: Product Safety - DSR
${\mathbb Z}$ Indicates information that	has changed from previously issued version.

Date of issue : 10/12/2011. Internet: lubricants.petro-canada.ca/msds Page: 6/7 ™ Trademark of Suncor Energy Inc. Used under licence. Petro-Canada is a Suncor Energy business

Page Number: 7

16. Other information

For Copy of (M)SDS

: The Canadian Controlled Products Regulations (CPR) (Under the Hazardous Products Act, part of the WHMIS legislation) only apply to WHMIS Controlled (i.e., hazardous) products. Therefore, the CPR and the 3-year update rule specified therein do not apply to WHMIS Non-Controlled products. Although this is true, customarily Petro-Canada reviews and updates Non-Controlled product MSDS if a customer requests such an update. These Non-Controlled product updates are given a lower priority than Controlled products but are handled as soon as practicable. If you would like to verify if the MSDS you have is the most current, or you require any further information, please contact:

Internet: lubricants.petro-canada.ca/msds

Lubricants:

Western Canada, telephone: 1-800-661-1199; fax: 1-800-378-4518 Ontario & Central Canada, telephone: 1-800-268-5850; fax: 1-800-201-6285 Quebec & Eastern Canada, telephone: 1-800-576-1686; fax: 1-800-201-6285

For Product Safety Information: (905) 804-4752

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

SPILL REPORT FORM

BARTON-MALOW CANADA - RENAIDAN CONTRACTING LTD.

Project Information			
Job Name		Site Supervisor	
CPP		Jim Millette	
Date of Occurrence		Contractor Responsible for Spill	
Oct 17 2013		W 5 NiColls	
Material Spilled		Location of Spill	
Hydrolic oil	2 litres	North east corner ACC	
Description of Incident			
Hydrolic oil leak out of stacker value assembly			
Hydrolic oil leak out of staiker value assembly body back side, leaked during operation only			
135 St Genie Boon Lift			
Root Cause Analysis			
Aluminum body steel plug expand & contract diffrent rates, loosens and leaks, Explained by Mechanic			
Method of Containment (describe clean up measures used to contain the spill)			
Catch bin with eat, littler and absorbant socks			
Leak fixed, material baged and stored			
MSDS Available: Yes Mo No No NoTE - Please contact the Shop for refills of Spill Kit contents			
Environmental Impact			
Health & Safety Impact			
Property Damage Yes No If Yes Describe:			
Items inSpill Kit Used? Yes No			
Cost Implications			
Personnel (list all site personnel involved in t	he containment and clean up of th	e spill) Clean Up Details (include a list of spill kit and or other contents used)	
Name Gand Eur	voling	cat litter ,	
		absorbant sorks	
Name Joe San	nuess	gurbage bag	
Name <u>Shane</u> C	annon	Method of Disposal (describe disposal methods of contents used)	
Name		Contain men bin	
Name			
Comments and Recommendations			
Fridd maintenace by rental company to inspect and check potential leak locations from history.			
Report Prepared By: Gond Everaling SR Date: Oct 18 7413			

\$