If you require this information in an accessible format, please contact The Regional Municipality of Durham at 1-800-372-1102 ext. 3560.



October 28, 2022

Celeste Dugas, Manager, York Durham District Office Ministry of the Environment, Conservation and Parks 230 Westney Road South, Floor 5 Ajax, Ontario L1S 7J5

Dear Ms. Dugas:

RE: Durham York Energy Centre

Submission of August 2022 Complaint and Inquiry Logs

MECP File #: EA-08-02

The Regional Municipality of Durham, the Regional Municipality of York, and Covanta continue to monitor complaints and inquiries for the Durham York Energy Centre and provide monthly reports to the Ministry of the Environment, Conservation and Parks' (MECP) York Durham District Office. The next reporting period will cover the month of September 2022.

We trust that this meets the MECP's expectations. If you require additional information, please contact the undersigned.

Sincerely,

Original signed by:

Gioseph Anello, M.Eng., P.Eng., PMP Director, Waste Management Services

The Regional Municipality of Durham 905-668-7711 extension 3445 Gioseph.Anello@durham.ca

Original signed by:

Laura McDowell, P.Eng. General Manager, Interim Transition - Environmental The Regional Municipality of York 905-830-4444 extension 75077 Laura.McDowell@york.ca

- c. P. Dunn, Senior Environmental Officer, York Durham District Office, MECP
 - D. Keene, Senior Environmental Officer, York Durham District Office, MECP
 - J. Butchart, Issues Project Coordinator (Acting), York Durham District Office, MECP
 - P. Martin, Supervisor, Air, Pesticides and Environmental Planning, MECP
 - G. Battarino, Special Project Officer, Project Coordination, EA Services, MECP
 - T. Bell, Environmental Resource Planner & EA Coordinator, MECP
 - E. Lee, Environmental Resource Planner & EA Coordinator, MECP
 - L. Kwan, Environmental Specialist, Covanta

Energy from Waste Advisory Committee (EFWAC)

- C. Raynor, Regional Clerk, The Regional Municipality of York
- A. Harras, Regional Clerk, The Regional Municipality of Durham

Enclosure